

COMAN

PHOTOGRAPHY



COMAN

Coman Photo Equipment(Zhongshan) Co.,Ltd.

TEL: 860-0760-86210949

Fax: 860-0760-23866861

Email: coman@comanphoto.com

Website: www.comanphoto.com

Tmall official flagship store: <http://comansm.tmall.com>

Jingdong official flagship store: <http://coman.jd.com>

www.comanphoto.com

ABOUT COMAN

Coman Photo Equipment(Zhongshan)Co., Ltd. was established in 2010, specializing in the production of photography and video equipment. It's located in Tanzhou town, Zhongshan city of South Guangdong province, which is the most developed photo equipments industrial area in China. It is predominantly location next to Zhuhai city and Macau, belongs to pearl river delta economic region, a very good location.

Coman has its own strong technology and first-class enterprise team in the field of redundancy technique, product development and sales. We complete the production in the factory from designs, precision pro-cessing, surface processing, quality management and products assembling by ourselves. Our sales network throughout the country, with a large customer base and a good market environment, it is a brand manu-facturer with professional camera support system for R &D and production.

Attentive, dedicated, professional " is coman' s quality and service conception, at the same time, we are more integrated in ergonomics, mechanics, environmental protection concepts, in pursuit of offering our customers more professional and perfect products.



CONTENTS

About COMAN	02	V SERIES GIMBAL	50
ONE CLICK MONOPOD	04	Q SERIES GIMBAL	56
ONE CLICK MONOPOD (HEAVY-DUTY)	08	DOLLY SERIES	60
ZERO SERIES	16	SLIDE SERIES	64
LIGHT SERIES	20		
TSC SERIES	28		
KX3939 mini TRIPOD	32		
Q6 SERIES TRIPOD	34		
Q6 SERIES MONOPOD	38		
DF PHOTOGRAPHY SERIES	42		
DK288 MONOPOD	46		

One-Click Monopod

Four sections, shorter & lighter



M1V5 Pro

M1 Pro is COMAN's newest One-Click Monopod that synchronizes the locking and unlocking of the 4 sections of the legs with a single button, and uses the latest rubberized counterbalance ring to increase the load-bearing capacity of the head's elevation angle in order to meet the user's higher demands.



COMAN |||| M1 SERIES



Model	Max. H (mm)	Fold. H (mm)	Material	Sections	Max Load (kg)	Weight (kg)
M1S	1655	665	Carbon fiber	4	10.0	1.75
M1	1595	605	Carbon fiber	4	20.0	1.43
M1Pro	1645	660	Carbon fiber	4	20.0	1.62
M1V5	1700	710	Carbon fiber	4	10.0	2.30
M1V5 Pro	1750	765	Carbon fiber	4	10.0	2.49

SNAP-OPEN MONOPOD (HEAVY-DUTY)

High bearing, more professional!





COMAN T1 SERIES



T1S V5



T1 V5



T1 Pro V5



T1S Pro V6

Model	Material	Leg unlocking method	Sections	Max. H (mm)	Fold. H (mm)	Weight (kg)	Max Load (kg)	Heads
T1S V5	Carbon Fibre	SNAP-OPEN	4	1745mm	705mm	3.48KG	20KG	V5
T1 V5	Carbon Fibre	SNAP-OPEN	4	1700mm	665mm	3.30KG	15KG	V5
T1 Pro V5	Carbon Fibre	SNAP-OPEN	4	1700mm	665mm	3.65KG	15KG	V5
T1S Pro V6	Carbon Fibre	SNAP-OPEN	4	1630mm	730mm	4.75KG	20KG	V6

T1 V5

Professional photographic gear with a one-button opening, four-section carbon fiber legs, and an adjustable hydraulic head for smooth angle adjustment.



TSC34 V5

Balanced equipment with a carbon fiber knob and V5 gimbal, ideal for medium to large cameras, ensuring stable and flexible shooting.



COMAN ||| TSC34V5



Model	TSC34 V5
Max. H (mm)	1430
Fold. H (mm)	218
Material	Carbon fiber
Sections	4
Max Load (kg)	20
Weight (kg)	2.18



COMAN TK540 V7



Model	TK540 V7
Max. H (mm)	1635
Fold. H (mm)	357
Material	Carbon fiber
Sections	4
Max Load (kg)	30.0
Weight (kg)	4.47

TK540 V7

Combines professional and personal shooting needs with a thick carbon tube for stability and portability, supporting large cameras with a dynamic balance V7 gimbal.




ZERO Series Tripod

New design, just for shooting



DESIGN
AWARD
2023



red dot
winner 2023

ZERO F38



ZERO Y



ZERO X



ZERO V





COMAN ||| ZERO SERIES



ZERO F38



ZERO Y



ZERO X



ZERO V

Model	Max. H (mm)	Fold. H (mm)	Material	Sections	Max Load (kg)	Weight (kg)
ZERO X	1488	398	Carbon Fiber Aluminum Alloy	5	3.0	0.88
ZERO Y	1567	423	Carbon Fiber Aluminum Alloy	5	3.0	1.1
ZERO F38	1590	425	Carbon Fiber Aluminum Alloy	5	3.0	1.1
ZERO V	1565	475	Carbon Fiber Aluminum Alloy	5	3.0	1.4

VC4



1/4 adapter



F-38 ballhead



ZERO SERIES ACCESSORY |||

Model	VC4
Max. H (mm)	1039
Fold. H (mm)	317
Material	Carbon fiber
Sections	4
Max Load (kg)	1.5
Weight (kg)	0.2


LIGHT Series Tripod

New arrival, light weight portable tripod



Light S

The light S is lightweight and compact tripod with COMAN's newly developed and patented quick release construction. Equipped with Mini camera gimbal, you can adjust the angle and quickly convert to vertical shooting mode, which is conducive to short video shooting and quick operation, compatible with DJI quick release system, quickly switch from RS2/RS3 stabilizer .



COMAN Light S



Model	Light S
Max. H (mm)	1515
Fold. H (mm)	460
Material	Carbon fiber
Sections	5
Max Load (kg)	3.0
Weight (kg)	1.2

Light W/G

Configuration Light W/G pro professional hydraulic head, center axis level adjustable, convertible camera monopod. This series is small size, light weight, multi-functional, stable support, load-bearing up to 5Kg. suitable for SLR cameras, video cameras, monoculars and other products.



COMAN LIGHT G/W



NEW



Light G



NEW



Light W

Model	Light G	Light W
Max. H (mm)	1580	1580
Fold. H (mm)	435	435
Material	Carbon Fiber Aluminum Alloy	Carbon Fiber Aluminum Alloy
Sections	5	5
Max Load (kg)	5.0	5.0
Weight (kg)	1.16	1.16

Light H pro

Configuration Light H pro professional hydraulic head, center axis level adjustable, convertible camera monopod. This series is small size, light weight, multi-functional, stable support, load-bearing up to 5Kg. suitable for SLR cameras, video cameras, monoculars and other products.



COMAN LIGHT H PRO



Model	Max. H (mm)	Fold. H (mm)	Material	Sections	Max Load (kg)	Weight (kg)
Light H pro	1580	435	Carbon Fiber Aluminum Alloy	5	5.0	1.16

TSC Series Tripod

Lightweight, professional, limitless photography potential



TSC34A40

A series of center of gravity spherical head is adopted, the tube is made of 10 layers of 100% carbon fiber,the tripod is made of aluminum alloy CNC precision machining, and the surface is anodized.The TSC Hussar series tripod is compact,lightweight, stable and easy to carry, making it ideal for outdoor photography and landscape photography



COMAN TSC SERIES



TSC10A20 TSC10LA20 TSC12A30 TSC14A30 TSC24A30 TSC24A40 TSC34A40

Model	Max. H (mm)	Fold. H (mm)	Material	Sections	Max Load (kg)	Weight (kg)
TSC10A20	395	260	Carbon fiber	3	5.0	0.45
TSC10LA20	710	375	Carbon fiber	3	5.0	0.5
TSC12A30	430	300	Carbon fiber	3	10.0	0.9
TSC14A30	1270	520	Carbon fiber	4	10.0	1.2
TSC24A30	1270	520	Carbon fiber	4	10.0	1.3
TSC24A40	1290	530	Carbon fiber	4	20.0	1.6
TSC34A40	1435	570	Carbon fiber	4	20.0	1.8

KX3939mini

KX3939 mini is COMAN latest portable tripod with V1 head/A32 head and center column that can be positioned horizontally/inverted, unlocking more angles of shooting to meet users' needs.



COMAN |||| KX3939 mini



型号	最高高度 (mm)	最低高度 (mm)	材质	管节数	最大承重 (kg)	重量 (kg)
KX3939 mini (V1)	1810	465	铝合金	4	5.0	1.73
KX3939 mini (A32)	1810	465	铝合金	4	5.0	1.63

Q6 Series Tripod

Just to fulfill your shooting needs



KX3939Plus

The KX3939Plus Video Tripod is a portable and multifunctional video tripod. Configuration Q6 professional hydraulic head, center axis level adjustable, convertible camera monopod. This series is small size, light weight, multi-functional, stable support, load-bearing up to 8Kgs. suitable for SLR cameras, video cameras, monoculars and other products.



COMAN |||| Q6 SERIES



KX3939Plus FF06S FF16LS FT16L FT15S FT16S FT16LS

Model	Max. H (mm)	Fold. H (mm)	Material	Sections	Max Load (kg)	Weight (kg)
KX3939Plus	1765	570	Aluminum	4	10.0	2.58
FF06S	1800	560	Aluminum	4	8.0	2.7
FF16LS	1880	890	Aluminum	3	8.0	4.0
FT16L	1880	890	Aluminum	3	8.0	4.0
FT15S	1600	787	Carbon fiber	3	8.0	3.75
FT16S	1600	785	Aluminum	3	8.0	4.17
FT16LS	1880	890	Aluminum	3	8.0	4.0

Q6 Series Monopod

Just to fulfill your shooting needs



DK327AQ6

The newly upgraded Monopod series with the latest Q6 ballhead the load bearing capacity of the monopod and makes it more stable during shooting to meet the needs of more professional photographers.



COMAN ||| Q6 SERIES



DK327AQ6



DX327AQ6



DX327CQ6



DX428AQ6



DX428CQ6

Model	Max. H (mm)	Fold. H (mm)	Material	Sections	Max Load (kg)	Weight (kg)
DK327AQ6	1795	640	Aluminum	5	8.0	1.8
DX327AQ6	1730	702	Aluminum	4	8.0	1.8
DX327CQ6	1730	702	Carbon fiber	4	8.0	1.9
DX428AQ6	2000	757	Aluminum	4	8.0	2.3
DX428CQ6	2000	757	Carbon fiber	4	8.0	2.1



DF Series Tripod

Steady shots, anytime, anywhere

DF26Q7 Plus

This series of camera tripod is standard equipped with up-graded piece OSS hydraulic head, 75MM ball bowl DX,DF series tripod has knob and flip two locking methods respectively, 10 layers of carbon fiber and aviation aluminum alloy two material choices. Support more stable, more convenient operation, for the film friends to bring excellent experience



COMAN |||| DF SERIES



DF25



DF26



DF25Q7 Plus



DF26Q7 Plus

Model	Max. H (mm)	Fold. H (mm)	Material	Sections	Max Load (kg)	Weight (kg)
DF25	1800	635	Carbon fiber	3	10.0	5.2
DF26	1800	635	Aluminum	3	10.0	5.75
DF25Q7 Plus	1820	655	Carbon fiber	3	10.0	5.4
DF26Q7 Plus	1820	655	Aluminum	3	10.0	5.95



DK288 Monopod

Photography and Hiking 2-in-1

COMAN Monopod

DK288

DK288 is a multi-functional monopod, with a photo head it is a monopod, with an armrest ball head it is a hiking pole, allowing you to meet both shooting and hiking needs while traveling and hiking.



COMAN |||| DK288



Model	DK288
Max. H (mm)	1510
Fold. H (mm)	438
Material	Aluminum
Sections	5
Max Load (kg)	6.0
Weight (kg)	0.53



V Series **Gimbal**

Just to fulfill your shooting needs



V6

The COMAN V6 fluid head is a professional-grade option with adjustable damping and dynamic balance, providing stable support and precise control for capturing every incredible moment. Reach new creative heights today!



COMAN ||| V SERIES Gimbal



V6

H10 Quick Release Handle

Model	Pith range	Material	Hydraulic	Remote handle	Max Load (kg)	Weight (kg)
V6	+90°/-65°	Aluminum + Silicone + Stainless Steel + Plastic	Yes	Retactable two-section type	8.0	1.88

V5

The COMAN V5 fluid head offers precision and stability, designed for photographers and videographers to capture stunning moments and enhance their work. Experience it now!



COMAN ||| V SERIES Gimbal



Model	Pith range	Material	Hydraulic	Remote handle	Max Load (kg)	Weight (kg)
V1	+90°/-65°	Aluminum + Silicone + Stainless Steel + Plastic	Yes	Fixed length handle	3.0	0.41
V3	+90°/-65°	Aluminum + Silicone + Stainless Steel + Plastic	Yes	Fixed length handle	3.0	0.39
V5	+90°/-90°	Aluminum + Silicone + Stainless Steel + Plastic	Yes	Retactable two-section type	5.0	0.85

Q Series Gimbal

Quick release and installation, one step ahead



Q6

Coman Q6 Updated professional Video Ballhead. Improve every detail of the tripod from the perspective of professional photographers lift every detail of the head from the perspective of a professional photographer. This product is suitable for photography, video recording, telephoto lens and monocular glasses.



COMAN |||| Q SERIES Gimbal



Model	Pith range	Horizontal telecontrol angle	Hydraulic	Remote handle	Max Load (kg)	Weight (kg)
Q5S	+90°/-70°	Built-in untunable	Yes	Fixed length handle	8.0	0.9
Q6	+90°/-70°	Built-in untunable	Yes	Fixed length handle	10.0	1.0
Q7	+90°/-75°	360°	Yes	Retactable two-section type	12.0	1.88
Q7Plus	+90°/-75°	360°	Yes	Retactable two-section type	12.0	1.88

DF Series TRIPOD DOLLY

Smooth mobility for your tripod





COMAN ||| DF SERIES TRIPOD DOLLY



DF1



DF2

Model	Max leg length	Min leg length	Pulley diameter	Material	Sections	Max Load (kg)	Weight (kg)
DF1	430mm	300mm	50mm	ABS+PA+Aluminum	2	15.0	1.75
DF2	570mm	290mm	75mm	ABS+PA+Aluminum	2	15.0	2.0


S2 SLIDER

New design, just for shooting



S2

The S2 Slider Double Slide is an innovative piece of photographic equipment designed to provide excellent stability and balance. Whether horizontally or vertically, it provides unrivaled smooth movement, allowing photographers to capture moments with ease, and the Mini Slider is equipped with a sophisticated adjustment system that allows the length and angle of the rail to be freely adjusted to suit different shooting scenarios. Whether you're shooting macro, tracking, or need to move smoothly over long distances, this slider will meet your needs!



COMAN |||| SLIDE SERIES



HM80S



HM120S



HM100S



S2

Model	Size(mm)	Power mode	Material	Max Load (kg)	Weight (kg)
S2	1795	640	Aluminum+Carbon fiber	6.0	1.65
HM80S	845	NP-F750 Battery	Aluminum+Carbon fiber	10.0	1.65
HM100S	1045	NP-F750 Battery	Aluminum+Carbon fiber	10.0	1.85
HM120S	1250	NP-F750 Battery	Aluminum+Carbon fiber	10.0	2.05